

The BIG Idea

The diverse plants on Earth provide humans and other organisms with food, shelter, and oxygen.

SECTION 1**An Overview of Plants**

Main Idea Plants have adaptations that enable them to survive in the many environments on Earth.

SECTION 2**Seedless Plants**

Main Idea Seedless plants are adapted for living in moist environments.

SECTION 3**Seed Plants**

Main Idea Seed plants have adaptations that enable them to live in diverse environments.

Plants



How are all plants alike?

Plants are found nearly everywhere on Earth. A tropical rain forest like this one is crowded with lush, green plants. When you look at a plant, what do you expect to see? Do all plants have green leaves? Do all plants produce flowers and seeds?

Science Journal Write three characteristics that you think all plants have in common.

Start-Up Activities



How do you use plants?

Plants are just about everywhere—in parks and gardens, by streams, on rocks, in houses, and even on dinner plates. Do you use plants for things other than food?

1. Brainstorm with two other classmates and make a list of everything that you use in a day that comes from plants.
2. Compare your list with those of other groups in your class.
3. Search through old magazines for images of the items on your list.
4. As a class, build a bulletin board display of the magazine images.
5. **Think Critically** In your Science Journal, list things that were made from plants 100 years or more ago but today are made from plastics, steel, or some other material.




Preview this chapter's content and activities at life.msscience.com


FOLDABLES™ Study Organizer

Plants Make the following Foldable to help identify what you already know, what you want to know, and what you learned about plants.


- STEP 1** **Fold** a vertical sheet of paper from side to side. Make the front edge 1.25 cm shorter than the back edge.




- STEP 2** **Turn** lengthwise and fold into thirds.



- STEP 3** **Unfold and cut** only the top layer along both folds to make three tabs.



- STEP 4** **Label** each tab as shown.



Identify Questions Before you read the chapter, write what you already know about plants under the left tab of your Foldable, and write questions about what you'd like to know under the center tab. After you read the chapter, list what you learned under the right tab.

Get Ready to Read

Make Connections

1 Learn It! Make connections between what you read and what you already know. Connections can be based on personal experiences (text-to-self), what you have read before (text-to-text), or events in other places (text-to-world).

As you read, ask connecting questions. Are you reminded of a personal experience? Have you read about the topic before? Did you think of a person, a place, or an event in another part of the world?

2 Practice It! Read the excerpt below and make connections to your own knowledge and experience.

What do you already know about vascular plants?

What angiosperms did you pass on your way to school?

What angiosperms are native to your state?

When people are asked to name a plant, most name an angiosperm. An **angiosperm** is a vascular plant that flowers and produces fruits with one or more seeds, such as the peaches shown in **Figure 19**. The fruit develops from a part or parts of one or more flowers. Angiosperms are familiar plants no matter where you live. They grow in parks, fields, forests, jungles, deserts, freshwater, salt water, and in the cracks of sidewalks. You might see them dangling from wires or other plants, and one species of orchid even grows underground. Angiosperms make up the plant division Anthophyta (AN thoh fi tuh). More than half of the plant species known today belong to this division.

—from page 257

3 Apply It! As you read this chapter, choose five words or phrases that make a connection to something you already know.

Reading Tip

Make connections with memorable events, places, or people in your life. The better the connection, the more likely you will remember.

Target Your Reading

Use this to focus on the main ideas as you read the chapter.

- 1 **Before you read** the chapter, respond to the statements below on your worksheet or on a numbered sheet of paper.
 - Write an **A** if you **agree** with the statement.
 - Write a **D** if you **disagree** with the statement.
- 2 **After you read** the chapter, look back to this page to see if you've changed your mind about any of the statements.
 - If any of your answers changed, explain why.
 - Change any false statements into true statements.
 - Use your revised statements as a study guide.

Before You Read A or D	Statement	After You Read A or D
	1 All plants have roots, stems, and leaves.	
	2 A waxy covering slows the movement of water out of a plant.	
	3 Some plants have special cells in which water travels from roots to leaves.	
	4 All daisies are members of the same species.	
	5 Some mosses are adapted for desert environments.	
	6 Nonvascular plants often are the first to grow in disturbed or damaged environments.	
	7 Coal is the fossil remains of seedless plants.	
	8 Leaves, stems, and roots are organs of vascular plants.	
	9 All evergreens are conifers, such as pines and spruces.	
	10 Flowering plants are the most numerous plants on Earth.	

Science  Online

Print out a worksheet
of this page at
life.msscience.com

An Overview of Plants

as you read

What You'll Learn

- **Identify** characteristics common to all plants.
- **Explain** which plant adaptations make it possible for plants to survive on land.
- **Compare and contrast** vascular and nonvascular plants.

Why It's Important

Plants produce food and oxygen, which are required for life by most organisms on Earth.



Review Vocabulary

species: closely related organisms that share similar characteristics and can reproduce among themselves

New Vocabulary

- cuticle
- cellulose
- vascular plant
- nonvascular plant

What is a plant?

What is the most common sight you see when you walk along nature trails in parks like the one shown in **Figure 1**? Maybe you've taken off your shoes and walked barefoot on soft, cool grass. Perhaps you've climbed a tree to see what things look like from high in its branches. In each instance, plants surrounded you.

If you named all the plants that you know, you probably would include trees, flowers, vegetables, fruits, and field crops like wheat, rice, or corn. Between 260,000 and 300,000 plant species have been discovered and identified. Scientists think many more species are still to be found, mainly in tropical rain forests. Plants are important food sources to humans and other consumers. Without plants, most life on Earth as we know it would not be possible.

Plant Characteristics Plants range in size from microscopic water ferns to giant sequoia trees that are sometimes more than 100 m in height. Most have roots or rootlike structures that hold them in the ground or onto some other object like a rock or another plant. Plants are adapted to nearly every environment on Earth. Some grow in frigid, ice-bound polar regions and others grow in hot, dry deserts. All plants need water, but some plants cannot live unless they are submerged in either freshwater or salt water.

Figure 1 All plants are many-celled and nearly all contain chlorophyll. Grasses, trees, shrubs, mosses, and ferns are all plants.



Plant Cells Like other living things, plants are made of cells. A plant cell has a cell membrane, a nucleus, and other cellular structures. In addition, plant cells have cell walls that provide structure and protection. Animal cells do not have cell walls.

Many plant cells contain the green pigment chlorophyll (KLOR uh fihl) so most plants are green. Plants need chlorophyll to make food using a process called photosynthesis. Chlorophyll is found in a cell structure called a chloroplast. Plant cells from green parts of the plant usually contain many chloroplasts.

Most plant cells have a large, membrane-bound structure called the central vacuole that takes up most of the space inside of the cell. This structure plays an important role in regulating the water content of the cell. Many substances are stored in the vacuole, including the pigments that make some flowers red, blue, or purple.

Origin and Evolution of Plants


Have plants always existed on land? The first plants that lived on land probably could survive only in damp areas. Their ancestors were probably ancient green algae that lived in the sea. Green algae are one-celled or many-celled organisms that use photosynthesis to make food. Today, plants and green algae have the same types of chlorophyll and carotenoids (kuh RAH tun oydz) in their cells. Carotenoids are red, yellow, or orange pigments that also are used for photosynthesis. These facts lead scientists to think that plants and green algae have a common ancestor.

 **Reading Check** *How are plants and green algae alike?*

Fossil Record The fossil record for plants is not like that for animals. Most animals have bones or other hard parts that can fossilize. Plants usually decay before they become fossilized. The oldest fossil plants are about 420 million years old. **Figure 2** shows *Cooksonia*, a fossil of one of these plants. Other fossils of early plants are similar to the ancient green algae. Scientists hypothesize that some of these early plants evolved into the plants that exist today.

Cone-bearing plants, such as pines, probably evolved from a group of plants that grew about 350 million years ago. Fossils of these plants have been dated to about 300 million years ago. It is estimated that flowering plants did not exist until about 120 million years ago. However, the exact origin of flowering plants is not known.

Figure 2 This is a fossil of a plant named *Cooksonia*. These plants grew about 420 million years ago and were about 2.5 cm tall.






INTEGRATE History

Cellulose Plant cell walls are made mostly of cellulose. Anselme Payen, a French scientist, first isolated and identified the chemical composition of cellulose in 1838, while analyzing the chemical makeup of wood. Choose a type of wood and research to learn the uses of that wood. Make a classroom display of research results.

Figure 3 The alga *Spirogyra*, like all algae, must have water to survive. If the pool where it lives dries up, it will die.



LM Magnification: 22×

Life on Land

Life on land has some advantages for plants. More sunlight and carbon dioxide—needed for photosynthesis—are available on land than in water. During photosynthesis, plants give off oxygen. Long ago, as more and more plants adapted to life on land, the amount of oxygen in Earth's atmosphere increased. This was the beginning for organisms that depend on oxygen.

Adaptations to Land

What is life like for green algae, shown in **Figure 3**, as they float in a shallow pool? The water in the pool surrounds and supports them as the algae make their own food through the process of photosynthesis. Because materials can enter and leave through their cell membranes and cell walls, the algae cells have everything they need to survive as long as they have water.

If the pool begins to dry up, the algae are on damp mud and are no longer supported by water. As the soil becomes drier and drier, the algae will lose water too because water moves through their cell membranes and cell walls from where there is more water to where there is less water. Without enough water in their environment, the algae will die. Plants that live on land have adaptations that allow them to conserve water, as well as other differences that make it possible for survival.

Protection and Support Water is important for plants. What adaptations would help a plant conserve water on land? Covering the stems, leaves, and flowers of many plants is a **cuticle** (KYEW tih kul)—a waxy, protective layer secreted by cells onto the surface of the plant. The cuticle slows the loss of water. The cuticle and other adaptations shown in **Figure 4** enable plants to survive on land.




Reading Check

What is the function of a plant's cuticle?

Supporting itself is another problem for a plant on land. Like all cells, plant cells have cell membranes, but they also have rigid cell walls outside the membrane. Cell walls contain **cellulose** (SEL yuh lohs), which is a chemical compound that plants can make out of sugar. Long chains of cellulose molecules form tangled fibers in plant cell walls. These fibers provide structure and support.

Figure 4 Plants have many characteristics that make them well adapted to life on land.



Other Cell Wall Substances Cells of some plants secrete other substances into the cellulose that make the cell wall even stronger. Trees, such as oaks and pines, could not grow without these strong cell walls. Wood from trees can be used for construction mostly because of strong cell walls.


Life on land means that each plant cell is not surrounded by water and dissolved nutrients that can move into the cell. Through adaptations, structures developed in many plants that distribute water, nutrients, and food to all plant cells. These structures also help provide support for the plant.

Reproduction Changes in reproduction were necessary if plants were to survive on land. The presence of water-resistant spores helped some plants reproduce successfully. Other plants adapted by producing water-resistant seeds in cones or in flowers that developed into fruits.



Figure 5

Scientists group plants as either vascular—those with water- and food-conducting cells in their stems—or nonvascular. Vascular plants are further divided into those that produce spores and those that make seeds.



(cs from top) Dan McCoy from Rainbow, Philip Dowell/DK Images, Kevin & Betty Collins/Visuals Unlimited, David Sieren/Visuals Unlimited, Steve Callahan/Visuals Unlimited, Gerald & Buff Corsi/Visuals Unlimited,

Classification of Plants

The plant kingdom is classified into major groups called divisions. A division is the same as a phylum in other kingdoms. Another way to group plants is as vascular (VAS kyuh lur) or nonvascular plants, as illustrated in **Figure 5**. **Vascular plants** have tubelike structures that carry water, nutrients, and other substances throughout the plant. **Nonvascular plants** do not have these tubelike structures and use other ways to move water and substances.

Naming Plants Why do biologists call a pecan tree *Carya illinoensis* and a white oak *Quercus alba*? They are using words that accurately name the plant. In the third century B.C., most plants were grouped as trees, shrubs, or herbs and placed into smaller groups by leaf characteristics. This simple system survived until late in the eighteenth century when a Swedish botanist, Carolus Linnaeus, developed a new system. His new system used many characteristics to classify a plant. He also developed a way to name plants called binomial nomenclature (bi NOH mee ul • NOH mun klay chur). Under this system, every plant species is given a unique two-word name like the names above for the pecan tree and white oak and for the two daisies in **Figure 6**.



Shasta daisy,
*Chrysanthemum
maximum*



African daisy,
*Dimorphotheca
aurantiaca*

Figure 6 Although these two plants are both called daisies, they are not the same species of plant. Using their binomial names helps eliminate the confusion that might come from using their common names.

section 1 review

Summary

What is a plant?

- All plant cells are surrounded by a cell wall.
- Many plant cells contain chlorophyll.

Origin and Evolution of Plants

- Ancestors of land plants were probably ancient green algae.

Adaptations to Land

- A waxy cuticle helps conserve water.
- Cellulose strengthens cell walls.

Classification of Plants

- The plant kingdom is divided into two groups—nonvascular plants and vascular plants.
- Vascular tissues transport nutrients.

Self Check

1. **List** the characteristics of plants.
2. **Compare and contrast** the characteristics of vascular and nonvascular plants.
3. **Identify** three adaptations that allow plants to survive on land.
4. **Explain** why binomial nomenclature is used to name plants.
5. **Thinking Critically** If you left a board lying on the grass for a few days, what would happen to the grass underneath the board? Why?

Applying Skills

6. **Form a hypothesis** about adaptations a land plant might undergo if it lived submerged in water.

Seedless Plants

as you read

What You'll Learn

- **Distinguish** between characteristics of seedless nonvascular plants and seedless vascular plants.
- **Identify** the importance of some nonvascular and vascular plants.

Why It's Important

Seedless plants are among the first to grow in damaged or disturbed environments and help build soil for the growth of other plants.



Review Vocabulary

spore: waterproof reproductive cell

New Vocabulary

- rhizoid
- pioneer species

Seedless Nonvascular Plants

If you were asked to name the parts of a plant, you probably would list roots, stems, leaves, and flowers. You also might know that many plants grow from seeds. However, some plants, called nonvascular plants, don't grow from seeds and they do not have all of these parts. **Figure 7** shows some common types of nonvascular plants.

Nonvascular plants are usually just a few cells thick and only 2 cm to 5 cm in height. Most have stalks that look like stems and green, leaflike growths. Instead of roots, threadlike structures called **rhizoids** (RI zoydz) anchor them where they grow. Most nonvascular plants grow in places that are damp. Water is absorbed and distributed directly through their cell membranes and cell walls. Nonvascular plants also do not have flowers or cones that produce seeds. They reproduce by spores. Mosses, liverworts, and hornworts are examples of nonvascular plants.

Mosses Most nonvascular plants are classified as mosses, like the ones in **Figure 7**. They have green, leaflike growths arranged around a central stalk. Their rhizoids are made of many cells. Sometimes stalks with caps grow from moss plants. Reproductive cells called spores are produced in the caps of these stalks. Mosses often grow on tree trunks and rocks or the ground. Although they commonly are found in damp areas, some are adapted to living in deserts.

Figure 7 The seedless nonvascular plants include mosses, liverworts, and hornworts.

Close-up of moss plants



Close-up of a liverwort



Close-up of a hornwort





Figure 8 Mosses can grow in the thin layer of soil that covers these rocks.

Liverworts In the ninth century, liverworts were thought to be useful in treating diseases of the liver. The suffix *-wort* means “herb,” so the word *liverwort* means “herb for the liver.” Liverworts are rootless plants with flattened, leaflike bodies, as shown in **Figure 7**. They usually have one-celled rhizoids.

Hornworts Most hornworts are less than 2.5 cm in diameter and have a flattened body like liverworts, as shown in **Figure 7**. Unlike other nonvascular plants, almost all hornworts have only one chloroplast in each of their cells. Hornworts get their name from their spore-producing structures, which look like tiny horns of cattle.



Nonvascular Plants and the Environment

Mosses and liverworts are important in the ecology of many areas. Although they require moist conditions to grow and reproduce, many of them can withstand long, dry periods. They can grow in thin soil and in soils where other plants could not grow, as shown in **Figure 8**.

Spores of mosses and liverworts are carried by the wind. They will grow into plants if growing conditions are right. Mosses often are among the first plants to grow in new or disturbed environments, such as lava fields or after a forest fire. Organisms that are the first to grow in new or disturbed areas are called **pioneer species**. As pioneer plants grow and die, decaying material builds up. This, along with the slow breakdown of rocks, builds soil. When enough soil has formed, other organisms can move into the area.



Reading Check

Why are pioneer plant species important in disturbed environments?



Measuring Water Absorption by a Moss

Procedure 

1. Place a few teaspoons of *Sphagnum* moss on a piece of **cheesecloth**. Gather the corners of the cloth and twist, then tie them securely to form a ball.
2. Weigh the ball.
3. Put 200 mL of **water** in a **container** and add the ball.
4. After 15 min, remove the ball and drain the excess water into the container.
5. Weigh the ball and measure the amount of water left in the container.
6. Wash your hands after handling the moss.

Analysis

In your **Science Journal**, calculate how much water was absorbed by the *Sphagnum* moss.

Topic: Medicinal Plants

Visit life.msscience.com for Web links to information about plants used as medicines.

Activity In your Science Journal, list four medicinal plants and their uses.

Seedless Vascular Plants

The fern in **Figure 9** is growing next to some moss plants. Ferns and mosses are alike in one way. Both reproduce by spores instead of seeds. However, ferns are different from mosses because they have vascular tissue. The vascular tissue in seedless vascular plants, like ferns, is made up of long, tubelike cells. These cells carry water, minerals, and food to cells throughout the plant. Why is vascular tissue an advantage to a plant? Nonvascular plants like the moss are usually only a few cells thick. Each cell absorbs water directly from its environment. As a result, these plants cannot grow large. Vascular plants, on the other hand, can grow bigger and thicker because the vascular tissue distributes water and nutrients to all plant cells.

Applying Science

What is the value of rain forests?

Throughout history, cultures have used plants for medicines. Some cultures used willow bark to cure headaches. Willow bark contains salicylates (suh LIH suh layts), the main ingredient in aspirin. Heart problems were treated with foxglove, which is the main source of digitalis (dih juh TAH lus), a drug prescribed for heart problems. Have all medicinal plants been identified?

Identifying the Problem

Tropical rain forests have the largest variety of organisms on Earth. Many plant species are still unknown. These forests are being destroyed rapidly. The map below shows the rate of destruction of the rain forests.

Some scientists estimate that most tropical rain forests will be destroyed in 30 years.

Solving the Problem

1. What country has the most rain forest destroyed each year?
2. Where can scientists go to study rain forest plants before the plants are destroyed?
3. Predict how the destruction of rain forests might affect research on new drugs from plants.

Deforested annually (km²)

- more than 15,000
- 2,000 to 14,800
- 100 to 1,900



Types of Seedless Vascular Plants

Besides ferns, seedless vascular plants include ground pines, spike mosses, and horsetails. About 1,000 species of ground pines, spike mosses, and horsetails are known to exist. Ferns are more abundant, with at least 12,000 known species. Many species of seedless vascular plants are known only from fossils. They flourished during the warm, moist period 360 million to 286 million years ago. Fossil records show that some horsetails grew 15 m tall, unlike modern species, which grow only 1 m to 2 m tall.

Ferns The largest group of seedless vascular plants is the ferns. They include many different forms, as shown in **Figure 10**. They have stems, leaves, and roots. Fern leaves are called fronds. Ferns produce spores in structures that usually are found on the underside of their fronds. Thousands of species of ferns now grow on Earth, but many more existed long ago. From clues left in rock layers, scientists infer that about 360 million years ago much of Earth was tropical. Steamy swamps covered large areas. The tallest plants were species of ferns. The ancient ferns grew as tall as 25 m—as tall as the tallest fern species alive today. Most modern tree ferns are about 3 m to 5 m in height and grow in tropical regions of the world.



Figure 9 The mosses and ferns pictured here are seedless plants. **Explain** why the fern can grow taller than the moss.

Figure 10 Ferns come in many different shapes and sizes.



The sword fern has a typical fern shape. Spores are produced in structures on the back of the frond.



This fern grows on other plants, not in the soil. **Infer** why it's called the staghorn fern.



Tree ferns, like this one in Hawaii, grow in tropical areas.



Figure 11 Photographers once used the dry, flammable spores of club mosses as flash powder. It burned rapidly and produced the light that was needed to take photographs.

Figure 12 Most horsetails grow in damp areas and are less than 1 m tall.

Identify where spores would be produced on this plant.



Club Mosses Ground pines and spike mosses are groups of plants that often are called club mosses. They are related more closely to ferns than to mosses. These seedless vascular plants have needle-like leaves. Spores are produced at the end of the stems in structures that look like tiny pine cones. Ground pines, shown in **Figure 11**, are found from arctic regions to the tropics, but rarely in large numbers. In some areas, they are endangered because they have been over collected to make wreaths and other decorations.



Reading Check

Where are spores in club mosses produced?

Spike mosses resemble ground pines. One species of spike moss, the resurrection plant, is adapted to desert conditions. When water is scarce, the plant curls up and seems dead. When water becomes available, the resurrection plant unfurls its green leaves and begins making food again. The plant can repeat this process whenever necessary.

Horsetails The stem structure of horsetails is unique among the vascular plants. The stem is jointed and has a hollow center surrounded by a ring of vascular tissue. At each joint, leaves grow out from around the stem. In **Figure 12**, you can see these joints. If you pull on a horsetail stem, it will pop apart in sections. Like the club mosses, spores from horsetails are produced in a conelike structure at the tips of some stems. The stems of the horsetails contain silica, a gritty substance found in sand. For centuries, horsetails have been used for polishing objects, sharpening tools, and scouring cooking utensils. Another common name for horsetails is scouring rush.

Importance of Seedless Plants

When many ancient seedless plants died, they became submerged in water and mud before they decomposed. As this plant material built up, it became compacted and compressed and eventually turned into coal—a process that took millions of years.

Today, a similar process is taking place in bogs, which are poorly drained areas of land that contain decaying plants. The plants in bogs are mostly seedless plants like mosses and ferns.

Peat When bog plants die, the waterlogged soil slows the decay process. Over time, these decaying plants are compressed into a substance called peat. Peat, which forms from the remains of sphagnum moss, is mined from bogs to use as a low-cost fuel in places such as Ireland and Russia, as shown in **Figure 13**. Peat supplies about one-third of Ireland's energy requirements. Scientists hypothesize that over time, if additional layers of soil bury, compact, and compress the peat, it will become coal.

Uses of Seedless Vascular Plants Many people keep ferns as houseplants. Ferns also are sold widely as landscape plants for shady areas. Peat and sphagnum mosses also are used for gardening. Peat is an excellent soil conditioner, and sphagnum moss often is used to line hanging baskets. Ferns also are used as weaving material for basketry.

Although most mosses are not used for food, parts of many other seedless vascular plants can be eaten. The rhizomes and young fronds of some ferns are edible. The dried stems of one type of horsetail can be ground into flour. Seedless plants have been used as folk medicines for hundreds of years. For example, ferns have been used to treat bee stings, burns, fevers, and even dandruff.



Figure 13 Peat is cut from bogs and used for a fuel in some parts of Europe.

section 2 review

Summary

Seedless Nonvascular Plants

- Seedless nonvascular plants include mosses, liverworts, and hornworts.
- They are usually only a few cells thick and no more than a few centimeters tall.
- They produce spores rather than seeds.

Seedless Vascular Plants

- Seedless vascular plants include ferns, club mosses, and horsetails.
- Vascular plants grow taller and can live farther from water than nonvascular plants.

Importance of Seedless Plants

- Nonvascular plants help build new soil.
- Coal deposits formed from ancient seedless plants that were buried in water and mud before they began to decay.

Self Check

1. **Compare and contrast** the characteristics of mosses and ferns.
2. **Explain** what fossil records tell about seedless plants that lived on Earth long ago.
3. **Identify** growing conditions in which you would expect to find pioneer plants such as mosses and liverworts.
4. **Summarize** the functions of vascular tissues.
5. **Think Critically** The electricity that you use every day might be produced by burning coal. What is the connection between electricity production and seedless vascular plants?

Applying Math

6. **Use Fractions** Approximately 8,000 species of liverworts and 9,000 species of mosses exist today. Estimate what fraction of these seedless nonvascular plants are mosses.

Seed Plants

as you read

What You'll Learn

- **Identify** the characteristics of seed plants.
- **Explain** the structures and functions of roots, stems, and leaves.
- **Describe** the main characteristics and importance of gymnosperms and angiosperms.
- **Compare** similarities and differences between monocots and dicots.

Why It's Important

Humans depend on seed plants for food, clothing, and shelter.



Review Vocabulary

seed: plant embryo and food supply in a protective coating

New Vocabulary

- stomata
- guard cell
- xylem
- phloem
- cambium
- gymnosperm
- angiosperm
- monocot
- dicot

Characteristics of Seed Plants

What foods from plants have you eaten today? Apples? Potatoes? Carrots? Peanut butter and jelly sandwiches? All of these foods and more come from seed plants.

Most of the plants you are familiar with are seed plants. Most seed plants have leaves, stems, roots, and vascular tissue. They also produce seeds, which usually contain an embryo and stored food. The stored food is the source of energy for the embryo's early growth as it develops into a plant. Most of the plant species that have been identified in the world today are seed plants. The seed plants generally are classified into two major groups—gymnosperms (JIHM nuh spurmz) and angiosperms (AN jee uh spurmz).

Leaves Most seed plants have leaves. Leaves are the organs of the plant where the food-making process—photosynthesis—usually occurs. Leaves come in many shapes, sizes, and colors. Examine the structure of a typical leaf, shown in **Figure 14**.




Figure 14 The structure of a typical leaf is adapted for photosynthesis.

Explain why cells in the palisade layer have more chloroplasts than cells in the spongy layer.

Leaf Cell Layers A typical leaf is made of several different layers of cells. On the upper and lower surfaces of a leaf is a thin layer of cells called the epidermis, which covers and protects the leaf. A waxy cuticle coats the epidermis of some leaves. Most leaves have small openings in the epidermis called **stomata** (STOH muh tuh) (singular, *stoma*). Stomata allow carbon dioxide, water, and oxygen to enter into and exit from a leaf. Each stoma is surrounded by two **guard cells** that open and close it.

Just below the upper epidermis is the palisade layer. It consists of closely packed, long, narrow cells that usually contain many chloroplasts. Most of the food produced by plants is made in the palisade cells. Between the palisade layer and the lower epidermis is the spongy layer. It is a layer of loosely arranged cells separated by air spaces. In a leaf, veins containing vascular tissue are found in the spongy layer.

Stems The trunk of a tree is really the stem of the tree. Stems usually are located above ground and support the branches, leaves, and reproductive structures. Materials move between leaves and roots through the vascular tissue in the stem. Stems also can have other functions, as shown in **Figure 15**.

Plant stems are either herbaceous (hur BAY shus) or woody. Herbaceous stems usually are soft and green, like the stems of a tulip, while trees and shrubs have hard, rigid, woody stems. Lumber comes from woody stems.



Observing Water Moving in a Plant

Procedure

1. Into a clear container pour water to a depth of 1.5 cm. Add 25 drops of red food coloring to the water.
2. Put the root end of a green onion into the container. Do not cut the onion in any way. Wash your hands.
3. The next day, examine the outside of the onion. Peel off the onion's layers and examine them. **WARNING:** Do not eat the onion.

Analysis

In your Science Journal, infer how the location of red color inside the onion might be related to vascular tissue.



Figure 15 Some plants have stems with special functions.



These potatoes are stems that grow underground and store food for the plant.



The stems of this cactus store water and can carry on photosynthesis.



Some stems of this grape plant help it climb on other plants.




Figure 16 The root system of a tree can be as long as the tree can be tall.

Infer why the root system of a tree would need to be so large.

as air does, plants that grow with their roots in water might not be able to absorb enough oxygen. Some swamp plants have roots that grow partially out of the water and take in oxygen from the air. In order to perform all these functions, the root systems of plants must be large.



Reading Check

What are several functions of roots in plants?

Roots Imagine a lone tree growing on top of a hill. What is the largest part of this plant? Maybe you guessed the trunk or the branches. Did you consider the roots, like those shown in **Figure 16**? The root systems of most plants are as large or larger than the aboveground stems and leaves.

Roots are important to plants. Water and other substances enter a plant through its roots. Roots have vascular tissue in which water and dissolved substances move from the soil through the stems to the leaves. Roots also act as anchors, preventing plants from being blown away by wind or washed away by moving water. Underground root systems support other plant parts that are aboveground—the stem, branches, and leaves of a tree. Sometimes, part of or all of the roots are aboveground, too.

Roots can store food. When you eat carrots or beets, you eat roots that contain stored food. Plants that continue growing from one year to the next use this stored food to begin new growth in the spring. Plants that grow in dry areas often have roots that store water.

Root tissues also can perform functions such as absorbing oxygen that is used in the process of cellular respiration. Because water does not contain as much oxygen


Vascular Tissue Three tissues usually make up the vascular system in a seed plant. **Xylem** (ZI lum) tissue is made up of hollow, tubular cells that are stacked one on top of the other to form a structure called a vessel. These vessels transport water and dissolved substances from the roots throughout the plant. The thick cell walls of xylem are also important because they help support the plant.

Phloem (FLOH em) is a plant tissue also made up of tubular cells that are stacked to form structures called tubes. Tubes are different from vessels. Phloem tubes move food from where it is made to other parts of the plant where it is used or stored.

In some plants, a cambium is between xylem and phloem. **Cambium** (KAM bee um) is a tissue that produces most of the new xylem and phloem cells. The growth of this new xylem and phloem increases the thickness of stems and roots. All three tissues are illustrated in **Figure 17**.

Figure 17 The vascular tissue of some seed plants includes xylem, phloem, and cambium.

Identify which of these tissues transports food throughout the plant.



Vascular Systems Plants have vascular tissue, and you have a vascular system. Your vascular system transports oxygen, food, and wastes through blood vessels. Instead of xylem and phloem, your blood vessels include veins and arteries. In your Science Journal write a paragraph describing the difference between veins and arteries.

Figure 18 The gymnosperms include four divisions of plants.



Conifers are the largest, most diverse division. Most conifers are evergreen plants, such as this ponderosa pine (above).



About 100 species of cycads exist today. Only one genus is native to the United States.

More than half of the 70 species of gnetophytes, such as this joint fir, are in one genus.



The ginkgoes are represented by one living species. Ginkgoes lose their leaves in the fall.

Explain how this is different from most gymnosperms.

Gymnosperms

The oldest trees alive are gymnosperms. A bristlecone pine tree in the White Mountains of eastern California is estimated to be 4,900 years old. **Gymnosperms** are vascular plants that produce seeds that are not protected by fruit. The word *gymnosperm* comes from the Greek language and means “naked seed.” Another characteristic of gymnosperms is that they do not have flowers. Leaves of most gymnosperms are needlelike or scalelike. Many gymnosperms are called evergreens because some green leaves always remain on their branches.

Four divisions of plants—conifers, cycads, ginkgoes, and gnetophytes (NE tuh fites)—are classified as gymnosperms. **Figure 18** shows examples of the four divisions. You are probably most familiar with the division Coniferophyta (kuh NIH fur uh fi tuh), the conifers. Pines, firs, spruces, redwoods, and junipers belong to this division. It contains the greatest number of gymnosperm species. All conifers produce two types of cones—male and female. Both types usually are found on the same plant. Cones are the reproductive structures of conifers. Seeds develop on the female cone but not on the male cone.



What is the importance of cones to gymnosperms?

Angiosperms

When people are asked to name a plant, most name an angiosperm. An **angiosperm** is a vascular plant that flowers and produces fruits with one or more seeds, such as the peaches shown in **Figure 19**. The fruit develops from a part or parts of one or more flowers. Angiosperms are familiar plants no matter where you live. They grow in parks, fields, forests, jungles, deserts, freshwater, salt water, and in the cracks of sidewalks. You might see them dangling from wires or other plants, and one species of orchid even grows underground. Angiosperms make up the plant division Anthophyta (AN thoh fi tuh). More than half of the known plant species belong to this division.

Flowers The flowers of angiosperms vary in size, shape, and color. Duckweed, an aquatic plant, has a flower that is only 0.1 mm long. A plant in Indonesia has a flower that is nearly 1 m in diameter and can weigh 9 kg. Nearly every color can be found in some flower, although some people would not include black. Multicolored flowers are common. Some plants have flowers that are not recognized easily as flowers, such as the flowers of ash trees, shown below.

Some flower parts develop into a fruit. Most fruits contain seeds, like an apple, or have seeds on their surface, like a strawberry. If you think all fruits are juicy and sweet, there are some that are not. The fruit of the vanilla orchid, as shown to the right, contains seeds and is dry.

Angiosperms are divided into two groups—the monocots and the dicots—shortened forms of the words *monocotyledon* (mah nuh kah tuh LEE dun) and *dicotyledon* (di kah tuh LEE dun).

Figure 19 Angiosperms have a wide variety of flowers and fruits.



The fruit of the vanilla orchid is the source of vanilla flavoring.



The flowers and fruit of a peach tree are typical of many angiosperms.



Ash flowers are not large and colorful. Their fruits are small and dry.



Monocots and Dicots A cotyledon is part of a seed often used for food storage. The prefix *mono* means “one,” and *di* means “two.” Therefore, **monocots** have one cotyledon inside their seeds and **dicots** have two. The flowers, leaves, and stems of monocots and dicots are shown in **Figure 20**.

Many important foods come from monocots, including corn, rice, wheat, and barley. If you eat bananas, pineapple, or dates, you are eating fruit from monocots. Lilies and orchids also are monocots.

Dicots also produce familiar foods such as peanuts, green beans, peas, apples, and oranges. You might have rested in the shade of a dicot tree. Most shade trees, such as maple, oak, and elm, are dicots.


Figure 20 By observing a monocot and a dicot, you can determine their plant characteristics.

Monocot





Monocots have flower parts in multiples of three. Dicots have flower parts in multiples of four or five.

Monocot leaves are usually more narrow than long. The vascular bundles show up as parallel veins in leaves. In dicots, the vascular bundles are the network of veins in the leaves.




In monocots, vascular tissues are arranged as bundles scattered throughout the stem. In dicot stems, vascular bundles occur in rings. These are the annual rings in woody stems.

Dicot



Monocot seeds have just one cotyledon and dicot seeds have two.






Petunias



Parsley



Pecan tree

Life Cycles of Angiosperms Flowering plants vary greatly in appearance. Their life cycles are as varied as the kinds of plants, as shown in **Figure 21**. Some angiosperms grow from seeds to mature plants with their own seeds in less than a month. The life cycles of other plants can take as long as a century. If a plant's life cycle is completed within one year, it is called an annual. These plants must be grown from seeds each year.

Plants called biennials (bi EH nee ulz) complete their life cycles within two years. Biennials such as parsley store a large amount of food in an underground root or stem for growth in the second year. Biennials produce flowers and seeds only during the second year of growth. Angiosperms that take more than two years to grow to maturity are called perennials. Herbaceous perennials such as peonies appear to die each winter but grow and produce flowers each spring. Woody perennials such as fruit trees produce flowers and fruits on stems that survive for many years.

Importance of Seed Plants

What would a day at school be like without seed plants? One of the first things you'd notice is the lack of paper and books. Paper is made from wood pulp that comes from trees, which are seed plants. Are the desks and chairs at your school made of wood? They would need to be made of something else if no seed plants existed. Clothing that is made from cotton would not exist because cotton comes from seed plants. At lunchtime, you would have trouble finding something to eat. Bread, fruits, and potato chips all come from seed plants. Milk, hamburgers, and hot dogs all come from animals that eat seed plants. Unless you like to eat plants such as mosses and ferns, you'd go hungry. Without seed plants, your day at school would be different.

Figure 21 Life cycles of angiosperms include annuals, biennials, and perennials. Petunias, which are annuals, complete their life cycle in one year. Parsley plants, which are biennials, do not produce flowers and seeds the first year. Perennials, such as the pecan tree, flower and produce fruits year after year.





Topic: Renewable Resources

Visit life.msscience.com for Web links to information and recent news or magazine articles about the timber industry's efforts to replant trees.

Activity List in your Science Journal the species of trees that are planted and some of their uses.

Table 1 Some Products of Seed Plants

From Gymnosperms		From Angiosperms	
lumber, paper, soap, varnish, paints, waxes, perfumes, edible pine nuts, medicines		foods, sugar, chocolate, cotton cloth, linen, rubber, vegetable oils, perfumes, medicines, cinnamon, flavorings, dyes, lumber	

Products of Seed Plants Conifers are the most economically important gymnosperms. Most wood used for construction and for paper production comes from conifers. Resin, a waxy substance secreted by conifers, is used to make chemicals found in soap, paint, varnish, and some medicines.

The most economically important plants on Earth are the angiosperms. They form the basis of the diets of most animals. Angiosperms were the first plants that humans grew. They included grains, such as barley and wheat, and legumes, such as peas and lentils. Angiosperms are also the source of many of the fibers used in clothing. Besides cotton, linen fabrics come from plant fibers. **Table 1** shows just a few of the products of angiosperms and gymnosperms.

section 3 review

Summary

Characteristics of Seed Plants

- Leaves are organs in which photosynthesis takes place.
- Stems support leaves and branches and contain vascular tissues.
- Roots absorb water and nutrients from soil.

Gymnosperms

- Gymnosperms do not have flowers and produce seeds that are not protected by a fruit.

Angiosperms

- Angiosperms produce flowers that develop into a fruit with seeds.

Importance of Seed Plants

- The diets of most animals are based on angiosperms.

Self Check

1. **List** four characteristics common to all seed plants.
2. **Compare and contrast** the characteristics of gymnosperms and angiosperms.
3. **Classify** a flower with five petals as a monocot or a dicot.
4. **Explain** why the root system might be the largest part of a plant.
5. **Think Critically** The cuticle and epidermis of leaves are transparent. If they weren't, what might be the result?

Applying Skills

6. **Form a hypothesis** about what substance or substances are produced in palisade cells but not in xylem cells.



Identifying Conifers

How can you tell a pine from a spruce or a cedar from a juniper? One way is to observe their leaves. The leaves of most conifers are either needlelike—shaped like needles—or scalelike—shaped like the scales on a fish. Examine and identify some conifer branches using the key to the right.

Real-World Question

How can leaves be used to classify conifers?

Goals

- **Identify** the difference between needlelike and scalelike leaves.
- **Classify** conifers according to their leaves.

Materials

short branches of the following conifers:

pine	Douglas fir	redwood
cedar	hemlock	arborvitae
spruce	fir	juniper

**illustrations of the conifers above*

**Alternate materials*

Safety Precautions



Wash your hands after handling leaves.

Procedure

1. **Observe** the leaves or illustrations of each conifer, then use the key to identify it.
2. **Write** the number and name of each conifer you identify in your Science Journal.

Conclude and Apply

1. **Name** two traits of hemlock leaves.
2. **Compare and contrast** pine and cedar leaves.

Key to Classifying Conifer Leaves

1. All leaves are needlelike.
 - a. yes, go to 2
 - b. no, go to 8
2. Needles are in clusters.
 - a. yes, go to 3
 - b. no, go to 4
3. Clusters contain two, three, or five needles.
 - a. yes, pine
 - b. no, cedar
4. Needles grow on all sides of the stem.
 - a. yes, go to 5
 - b. no, go to 7
5. Needles grow from a woody peg.
 - a. yes, spruce
 - b. no, go to 6
6. Needles appear to grow from the branch.
 - a. yes, Douglas fir
 - b. no, hemlock
7. Most of the needles grow upward.
 - a. yes, fir
 - b. no, redwood
8. All the leaves are scalelike but not prickly.
 - a. yes, arborvitae
 - b. no, juniper

Communicating Your Data

Use the key above to identify conifers growing on your school grounds. Draw and label a map that locates these conifers. Post the map in your school. **For more help, refer to the Science Skill Handbook.**

Plants as Medicine

Goals

- **Identify** two plants that can be used as a treatment for illness or as a supplement to support good health.
- **Research** the cultural and historical use of each of the two selected plants as medical treatments.
- **Review** multiple sources to understand the effectiveness of each of the two selected plants as a medical treatment.
- **Compare and contrast** the research and form a hypothesis about the medicinal effectiveness of each of the two plants.

Data Source



Visit life.mssscience.com/internet_lab for more information about plants that can be used for maintaining good health and for data collected by other students.

Real-World Question

You may have read about using peppermint to relieve an upset stomach, or taking *Echinacea* to boost your immune system and fight off illness. But did you know that pioneers brewed a cough medicine from lemon mint? In this lab, you will explore plants and their historical use in treating illness, and the benefits and risks associated with using plants as medicine. How are plants used in maintaining good health?



Echinacea

Make a Plan

1. Search for information about plants that are used as medicine and identify two plants to investigate.
2. **Research** how these plants are currently recommended for use as medicine or to promote good health. Find out how each has been used historically.
3. **Explore** how other cultures used these plants as a medicine.



Mentha

Using Scientific Methods

▶ Follow Your Plan

1. Make sure your teacher approves your plan before you start.
2. **Record** data you collect about each plant in your Science Journal.

▶ Analyze Your Data

1. **Write** a description of how different cultures have used each plant as medicine.
2. How have the plants you investigated been used as medicine historically?
3. **Record** all the uses suggested by different sources for each plant.
4. **Record** the side effects of using each plant as a treatment.

▶ Conclude and Apply

1. After conducting your research, what do you think are the benefits and drawbacks of using these plants as alternative medicines?
2. **Describe** any conflicting information about using each of these plants as medicine.
3. Based on your analysis, would you recommend the use of each of these two plants to treat illness or promote good health? Why or why not?
4. What would you say to someone who was thinking about using any plant-based, over-the-counter, herbal supplement?

Communicating Your Data

Find this lab using the link below. Post your data for the two plants you investigated in the tables provided. **Compare** your data to those of other students. Review data that other students have entered about other plants that can be used as medicine.



life.msscience.com/internet_lab



Monarda

A LOOPY Idea Inspires a “Fastenating” Invention



A wild cocklebur plant inspired the hook-and-loop fastener.

Scientists often spend countless hours in the laboratory dreaming up useful inventions. Sometimes, however, the best ideas hit them in unexpected places at unexpected times. That’s why scientists are constantly on the lookout for things that spark their curiosity.

One day in 1948, a Swiss inventor named George deMestral strolled through a field with his dog. When they returned home, deMestral discovered that the dog’s fur was covered with cockleburs, parts of a prickly

plant. These burs were also stuck to deMestral’s jacket and pants. Curious about what made the burs so sticky, the inventor examined one under a microscope.

DeMestral noticed that the cocklebur was covered with lots of tiny hooks. By clinging to animal fur and fabric, this plant is carried to other places. While studying these burs, he got the idea to invent a new kind of fastener that could do the work of buttons, snaps, zippers, and laces—but better!

After years of experimentation, deMestral came up with a strong, durable hook-and-loop fastener made of two strips of nylon fabric. One strip has thousands of small, stiff hooks; the other strip is covered with soft, tiny loops. Today, this hook-and-loop fastening tape is used on shoes and sneakers, watchbands, hospital equipment, space suits, clothing, book bags, and more. You may have one of those hook-and-loop fasteners somewhere on you right now. They’re the ones that go rrrrrrrrip when you open them.

So, if you ever get a fresh idea that clings to your mind like a hook to a loop, stick with it and experiment! Who knows? It may lead to a fabulous invention that changes the world!



This photo provides a close-up view of a hook-and-loop fastener.

List Make a list of ten ways hook-and-loop tape is used today. Think of three new uses for it. Since you can buy strips of hook-and-loop fastening tape in most hardware and fabric stores, try out some of your favorite ideas.

Science online

For more information, visit
life.msscience.com/oops

Reviewing Main Ideas

Section 1 An Overview of Plants

1. Plants are made up of eukaryotic cells and vary greatly in size and shape.
2. Plants usually have some form of leaves, stems, and roots.
3. As plants evolved from aquatic to land environments, changes occurred in how they reproduced, supported themselves, and moved substances from one part of the plant to another.
4. The plant kingdom is classified into groups called divisions.

Section 2 Seedless Plants

1. Seedless plants include nonvascular and vascular types.
2. Most seedless nonvascular plants have no true leaves, stems, or roots. Reproduction usually is by spores.


3. Seedless vascular plants have vascular tissues that move substances throughout the plant. These plants may reproduce by spores.
4. Many ancient forms of these plants underwent a process that resulted in the formation of coal.

Section 3 Seed Plants

1. Seed plants are adapted to survive in nearly every environment on Earth.
2. Seed plants produce seeds and have vascular tissue, stems, roots, and leaves.
3. The two major groups of seed plants are gymnosperms and angiosperms. Gymnosperms generally have needlelike leaves and some type of cone. Angiosperms are plants that flower and are classified as monocots or dicots.
4. Seed plants are the most economically important plants on Earth.

Visualizing Main Ideas

Copy and complete the following concept map about the seed plants.



Using Vocabulary

angiosperm p. 257	nonvascular plant p. 245
cambium p. 255	phloem p. 255
cellulose p. 242	pioneer species p. 247
cuticle p. 242	rhizoid p. 246
dicot p. 258	stomata p. 253
guard cell p. 253	vascular plant p. 245
gymnosperm p. 256	xylem p. 255
monocot p. 258	

Complete each analogy by providing the missing vocabulary word.

- Angiosperm is to flower as _____ is to cone.
- Dicot is to two seed leaves as _____ is to one seed leaf.
- Root is to fern as _____ is to moss.
- Phloem is to food transport as _____ is to water transport.
- Vascular plant is to horsetail as _____ is to liverwort.
- Cellulose is to support as _____ is to protect.
- Fuel is to ferns as _____ is to bryophytes.
- Cuticle is to wax as _____ is to fibers.

Checking Concepts

Choose the word or phrase that best answers the question.

- Which of the following is a seedless vascular plant?
A) moss C) horsetail
B) liverwort D) pine


- What are the small openings in the surface of a leaf surrounded by guard cells called?
A) stomata C) rhizoids
B) cuticles D) angiosperms
- What are the plant structures that anchor the plant called?
A) stems C) roots
B) leaves D) guard cells
- Where is most of a plant's new xylem and phloem produced?
A) guard cell C) stomata
B) cambium D) cuticle
- What group has plants that are only a few cells thick?
A) gymnosperms C) ferns
B) cycads D) mosses
- The oval plant parts shown to the right are found only in which plant group?
A) nonvascular C) gymnosperms
B) seedless D) angiosperms
- What kinds of plants have structures that move water and other substances?
A) vascular C) nonvascular
B) protist D) bacterial
- In what part of a leaf does most photosynthesis occur?
A) epidermis C) stomata
B) cuticle D) palisade layer



- Which one of the following do ferns have?
A) cones C) spores
B) rhizoids D) seeds
- Which of these is an advantage to life on land for plants?
A) more direct sunlight
B) less carbon dioxide
C) greater space to grow
D) less competition for food

Thinking Critically

19. **Predict** what might happen if a land plant's waxy cuticle was destroyed.
20. **Draw Conclusions** On a walk through the woods with a friend, you find a plant neither of you has seen before. The plant has green leaves and yellow flowers. Your friend says it is a vascular plant. How does your friend know this?
21. **Infer** Plants called succulents store large amounts of water in their leaves, stems, and roots. In what environments would you expect to find succulents growing naturally?
22. **Explain** why mosses usually are found in moist areas.
23. **Recognize Cause and Effect** How do pioneer species change environments so that other plants can grow there?
24. **Concept Map** Copy and complete this map for the seedless plants of the plant kingdom.



25. **Interpret Scientific Illustrations** Using **Figure 20** in this chapter, compare and contrast the number of cotyledons, bundle arrangement in the stem, veins in leaves, and number of flower parts for monocots and dicots.

26. **Sequence** Put the following events in order to show how coal is formed from plants: *living seedless plants, coal is formed, dead seedless plants decay, and peat is formed.*
27. **Predict** what would happen if a ring of bark and cambium layer were removed from around the trunk of a tree.

Performance Activities

28. **Poem** Choose a topic in this chapter that interests you. Look it up in a reference book, in an encyclopedia, or on a CD-ROM. Write a poem to share what you learn.
29. **Display** Use dried plant material, photos, drawings, or other materials to make a poster describing the form and function of roots, stems, and leaves.

Applying Math

Use the table below to answer questions 30–32.

Number of Stomata (per mm ²)		
Plant	Upper Surface	Lower Surface
Pine	50	71
Bean	40	281
Fir	0	228
Tomato	12	13

30. **Gas Exchange** What do the data in this table tell you about where gas exchange occurs in the leaf of each plant species?
31. **Compare Leaf Surfaces** Make two circle graphs—upper surface and lower surface—using the table above.
32. **Guard Cells** On average, how many guard cells are found on the lower surface of a bean leaf?


Part 1 Multiple Choice

Record your answers on the answer sheet provided by your teacher or on a sheet of paper.

- Which of the following do plants use to photosynthesize?
 - blood
 - iron
 - chlorophyll
 - cellulose
- Which of the following describes the function of the central vacuole in plant cells?
 - It helps in reproduction.
 - It helps regulate water content.
 - It plays a key role in photosynthesis.
 - It stores food.

Use the illustration below to answer questions 3 and 4.

Leaf Cross Section



- In the leaf cross section, what is indicated by H?
 - upper epidermis
 - cuticle
 - stoma
 - lower epidermis
- What flows through the structure indicated by J?
 - water only
 - carbon dioxide and water only
 - oxygen and carbon dioxide only
 - water, carbon dioxide, and oxygen

- In seed plants, vascular tissue refers to which of the following?
 - xylem and phloem only
 - xylem only
 - phloem only
 - xylem, phloem, and cambium

Use the illustration below to answer questions 6 and 7.



- What is the function of the structure labeled C?
 - It transports nutrients throughout the plant.
 - It produces new xylem and phloem.
 - It transports water from the roots to other parts of the plant.
 - It absorbs water from outside the plant.
- What type of vascular tissue is indicated by B?
 - xylem
 - cambium
 - phloem
 - cellulose

Test-Taking Tip

Eliminate Answer Choices If you don't know the answer to a multiple-choice question, eliminate as many incorrect choices as possible. Mark your best guess from the remaining answers before moving on to the next question.

Part 2 Short Response/Grid In

Record your answers on the answer sheet provided by your teacher or on a sheet of paper.

Use the two illustrations below to answer questions 8–10.



A




B

8. Identify the flowers shown above as a monocot or a dicot. Explain the differences between the flowers of monocots and dicots.
9. Give three examples of plants represented by Plant A.
10. Give three examples of plants represented by Plant B.
11. How are plants that live on land able to conserve water?
12. Explain why reproductive adaptations were necessary in order for plants to survive on land.
13. You are hiking through a dense forest area and notice some unusual plants growing on the trunk of a tall tree. The plants are no taller than about 3 cm and have delicate stalks. They do not appear to have flowers. Based on this information, what type of plants would you say you found?
14. What is a conifer? To which major group of plants does it belong?


Part 3 Open Ended

Record your answers on a sheet of paper.

Use the two diagrams below to answer questions 15–16.



Plant A



Plant B

15. Two plants, A and B, have stem cross sections as shown in the diagrams above. What does the different vascular bundle arrangement tell you about each plant?
16. Describe a typical seed from each plant type.
17. Create a diagram that describes the life cycle of an annual angiosperm.
18. Discuss the importance of plants in your daily life. Give examples of plants or plant products that you use or consume regularly.
19. Compare and contrast vascular and non-vascular plants. Include examples of each type of plant.
20. Describe the group of plants known as the seedless vascular plants. How do these plants reproduce without seeds?
21. Explain what peat is and how it is formed. How is peat used today?
22. How would our knowledge of ancient plants be different if the fossil record for plants was as plentiful as it is for animals?